





NT Tools

Proven in action





NTools

Proven in action

It's more than just a slogan. Before introducing into the offer each tool has gone through many hours of trials to test the strength and precise operation in the toughest conditions.

Our goal was to create devices meeting the highest quality expectations, taking into account costs of their purchase to carry out professional body and paint repairs.

NTools offer is a range of over 100 pieces of specialized equipment for professionals, accurately selected and tested by experts. All meet the highest standards. They are perfect in the hands of specialists.

EU WARRANTY

NTools tools have been created for continuous operation in most demanding conditions. All are covered by regular EU Warranty.

CERTIFICATE of

NTools tools have all certificates and approvals required by the Community law allowing the sale to the whole European Union.

QUICK SERVICE of the devices

To our customers we offer our own service of NTools machines and equipment. No need to waste time for painstaking search for service and sending the products – everything can be arranged directly with the customer advisor.

Recommended by

Nowoczesny Warsztat
OGÓLNOPOLSKI MIEJECZNIK DLA FACHOWCÓW BRANŻY MOTORYZACYJNEJ

PROFESSIONAL SUPPORT ON A DAILY BASIS

Facts

NTools tools are distributed by experienced technical advisors. The task of the adviser is to help the customer at the stage of selecting the machine, so that the device is tailored to the customer needs and specific conditions of the work.

Effect

Satisfied customer who receives the exactly sought tool.

More

We make a fully equipped demo car available to customers. Professionals can not only see, touch, but also check out all of the tools from the offer NTools directly in their workshop.

We focus on development

Year after year the standard of body and paint repairs increases, more and more advanced technologies and tools are used.

Concerned about the development of our customers, we offer a full package of product training and training in technology of repairs. Classes are conducted in a workshop formula, by practitioners, because their purpose is to provide practical skills.



WELL THOUGHT FROM THE SCRATCH, CREATED TO ACT.

Selecting NTools you can be sure that everything fits together, forming well thought repair systems. You do not have to worry about accessories or consumables.

You just work.



POLISHING SYSTEM
PAGE 8–9

SANDING SYSTEM
PAGE 10–13

SEALANT GUNS
PAGE 14–15

GUNS
PAGE 16–17

RADIATORS
PAGE 18

BODY SYSTEMS
PAGE 19

PDR SYSTEMS
PAGE 20–23

POLISHING SYSTEM

PERFECT POLISHING

NTools polishing system thanks to properly selected consumables: reliable polisher, durable sponges and multitasking polishing compound creates a well-functioning system that guarantees impeccable polishing of surfaces.

NTools No.126001

ELECTRIC POLISHER **NTools RP 180E**

Ergonomic polisher with high power, allows operation at low speeds with high torque. It has a multi-functional electronic circuit, providing soft start and speed control. Practical switch and speed controller position makes the polisher RP 180E a very handy tool for working on vertical and horizontal surfaces.



NTools No. 126001

RPM	600 - 3000
WEIGHT	2,8 kg
POWER	1300 W
MOUNTING	M14
DISCS	150 - 180 mm
DISK LOCK	YES
SPEED CONTROL	ELECTRONIC

+ POLISHING SPONGE

In the set with the polisher we offer a polishing sponge with a diameter of 150 mm – white. It is a sponge of high hardness for machine polishing. It has a M14-mount.

NTools No. 090510

POLISHING APRON **NTools**

Protective polishing apron made of cotton, protecting the polished surface from scratches by buttons or strap. Convenient pockets are placed in front of the apron.



SANDING SYSTEM

SYSTEM – IT WORKS!



NTools No. 150550, 150555

SANDING DISKS
NTools

- DP 15050HM
- DP 15050HS

Professional NTools sanding disk made of hard, mechanically high-strength glass and epoxy laminate and deformation-resistant polyurethane compound. Advanced design of the disk works with all the brands of sand paper available on the market, and the multi-hole design provides very good dust extraction.

Velcro made in patented J-Hook technology ensures high holding strength of sand paper and unwoven cloth.

Optimum fit to the type of job with two types of discs: hard with low profile and a thickness of 10 mm for rough sanding and soft with a tapered edge and a thickness of 16 mm for fine sanding (matting).

	NTools nr 150550	NTools nr 150555
HARDNESS	hard	soft
THICKNESS	low profile 10 mm (3/8")	high profile 16 mm (5/8")
DIAMETER	150 mm (6")	150 mm (6")
NUMBER OF HOLES in the disk	50	50
NUMBER OF HOLES in the paper	Multihole, 6, 9, 15	Multihole, 6, 9, 15
MOUNTING of the sandpaper	Velcro	Velcro
VELCRO TYPE	J-Hook	J-Hook
FIXING SCREW to the machine	5/16"	5/16"
WEIGHT	130 g	130 g
MAX ROTATIONAL SPEED	12000 RPM	12000 RPM

NTools No. 150560 (pack of 10 pieces)
NTools No. 150561 (pack of 1 piece)

SPACER
FOR THE WORKING DISK
NTools PS 150

Spacer with J-Hook Velcro, with a thickness of 0.3 mm, applied on the working disk with a diameter of 150 mm. It protects the disk and the Velcro against faster damage by sanding with abrasive discs.



NTools No. 389400

OIL FOR PNEUMATIC
DEVICES 30 ML
NTools PNT 30

Oil for pneumatic devices, designed for lubrication of internal moving parts of pneumatically operated devices. Characterized by:

- good adhesion to the material,
- lack of interaction with the construction materials (aluminium, steel, rubber and plastic gaskets),
- good resistance to aging.



PNEUMATIC SANDERS NTools

They are designed for continuous operation in industry and trade. They combine high power, high efficiency of sanding with low weight. Sanders can satisfy the most demanding customer.

NTools No.135025

RS 15025

2.5 mm pitch is ideal for finishing. Small pitch combined with high RPM gives the best quality of surface finish. Proposed sandpaper gradations from P320 to P3000.

NTools No. 135050

RS 15050

5.0 mm pitch is ideal for fine sanding, so as to prepare the substrate for the painting work. The proposed gradation is from P180 to P400.

NTools No. 135080

RS 15080

8.0 mm pitch allows for a significant reduction in working hours. Aggressive movement of the disk is ideal for rough sanding and fast removal of material. The proposed gradation is from P60 to P180.



RPM	0 - 12000
AIR CONSUMPTION	481 l/min
POWER	0,28 hp / 209 W
PITCH	2.5 / 5.0 / 8.0 mm
SUCTION	YES
DISK MOUNTING	5/16"

NTools No. 140001

PROFESSIONAL
VACUUM CLEANER **NTools VC 30Eco**

Mobile extractor for industrial applications, with the function of dry and wet vacuuming.

- KEY BENEFITS:**
- integrated socket for use with power tools with auto on and off feature,
 - powerful engine and high-power turbine,
 - 30 litre stainless steel tank.

NTools No. 140001

TANK CAPACITY	30 L
POWER	1400 W (max 2000 W)
COOLING	air circulation
AIR FLOW RATE	45 l/s
VACUUM	> 17 kPa
CABLE LENGTH	4,5 m
HOSE DIMENSIONS	32 mm diameter / length of 4 m
ADDITIONAL OPTIONS	— wet and dry work — work with paper filter bag



- THE SET WITH **VC 30Eco** EXTRACTOR CONTAINS:
- 4 M HOSE WITH TIPS FOR VACUUMING,
 - SUCTION PIPE,
 - FABRIC MAIN FILTER,
 - TIPS FOR VACUUMING (ROUND, SLOTTED, FLOORING).

NTools No. 140005, 140010

PROFESSIONAL VACUUM CLEANER **NTools**

VC 36E

VC 36EP

The newest compact NTools VC 36 extractors, adapted to extraction of sanding dust in body and paint workshops and to work with wood, plastic and sand. Available in two versions: for use with electric sanders and electric and pneumatic sanders.

- KEY BENEFITS:**
- fully automatic switching on and off (extractor works when the sander works),
 - smooth adjusting of suction power,
 - capacious dust tank – 36 l,
 - quiet operation - 60 dB (A),
 - allowed for dust class L suction (> 1 mg/m3),
 - antistatic function prevents electrostatic discharges,
 - high mobility thanks to compact design and durable wheels with brake,
 - very strong turbine with high suction power and efficiency.

NTools No. 140005, 140010

TANK CAPACITY	36 L
WEIGHT	9,3 kg
POWER	1200 W (max 2000 W)
SUCTION PERFORMANCE	240 m/bar
AIR FLOW RATE	55 l/s
FILTER AREA	0,45 m²
HOSE DIMENSIONS	4 m / 2in1 hose in VC 36EP version



- THE SET WITH **VC 36E** AND **VC 36EP** EXTRACTOR CONTAINS:
- 4 m SUCTION HOSE (diameter 29 mm) or in **EP version** 4 m 2in1 HOSE,
 - PAPER DUST BAG,
 - PAPER MAIN FILTER,
 - VACUUMING HOSE (2,5 m),
 - SET OF VACUUMING TIP (ROUND, SLOTTED).



SEALANT GUNS

PRESSURE ON PERFECTION

Only appropriate choice of tool, adapted to the technological process guarantees optimum effect. Therefore, professional sealant guns from NTools are made from the finest materials, of adequate resistance and strength, designed for long-term operation in all conditions.

NTools No. 110001

MANUAL SEALANT GUN FOR 310 ml CARTRIDGES NTools HKS

Manual gun for adhesives and sealants in 310 ml plastic and aluminium cartridges. It is made entirely of metal. It has a ratio of 7: 1, so that the extrusion of compounds is smooth and easy.



NTools No. 110001

RATIO	7:1
CAPACITY	310 ml cartridges

NTools nr 110002

MANUAL SEALANT GUN FOR 310 ml CARTRIDGES NTools HKS Deluxe

Manual gun for adhesives and sealants in 310 ml plastic and aluminium cartridges. It is made entirely of metal, additionally reinforced with rivets. It has a ratio of 12: 1, so the sealants and adhesives for glasses can be easily extruded. The squeezer has a rotating handle (360°), making placement of masses in difficult places easier.




NTools No. 110002

PATIO	12:1
ROTATING HANDLE	Yes / 360°
CAPACITY	310 ml cartridges

NTools No. 110005

MANUAL SEALANT GUN FOR 310 ml CARTRIDGES and 300-600 ml SACHETS NTools PS 400

Manual gun for adhesives and sealants in 310 ml cartridges and sachets with a capacity of 300 to 600 ml. The gun has an aluminium tube with a length of 400 mm, and the handle and trigger made of aluminium alloy. It has a ratio of 12:1, so the sealants and adhesives for glasses can be easily extruded. The squeezer has a rotating handle (360°), making application of masses in difficult places easier.



NTools No. 110005

RATIO	12:1
ROTATING HANDLE	Yes / 360°
CAPACITY	310 ml cartridges and 300ml – 600 ml sachets
ADDITIONAL EQUIPMENT	piston and squeezing tip for sachets

GUNS

AGAINST DIRT



Professional equipment for cleaning all kinds of dirt on the body, in the engine compartment and interior of the vehicle. Thanks to specially designed nozzles, the need for water and cleaners is minimize maintaining 100% efficiency.

Check out the full range of tools at www.ntools.pl

NTools No. 231708

PNEUMATIC FOAM GENERATOR NTools FG 1000

Professional pneumatic device for generating foam. It is perfect for applying foam on both the car body and upholstery and in all places, where it is required to reduce the use of water. Thanks to a special nozzle the foam is compact and uniform, and the simplicity of application ensures an even application on a cleared area.

NTools No. 231707

PNEUMATIC CLEANING GUN NTools TG 1000

Special equipment for cleaning all kinds of pollution, both outside and inside the vehicles. TG 1000 has a specially shaped nozzle with aluminium core rotating inside. Under the influence of compressed air the gun produces a mist, which is then applied to the cleaned items. Adjusting the amount of the formulation allows full control of the dispensed amount. NTools TG 1000 consumes minimal amounts of cleaning agents and moisturizes the cleaned element slightly accelerating drying.

NTools TG 1000 and NTools CG 1000 are ideal for cleaning of:

- vehicle body,
- engine compartment,
- wheel rims,
- air outlets,
- plastic components,
- seats, upholstery, carpets, headliners and all kinds of places hard to reach.

NTools No. 231710

PNEUMATIC CLEANING GUN NTools CG 1000

Specialized gun for wet cleaning of all kinds of dirt on the body and inside a car. The gun, thanks to specially shaped nozzle, with a rotating core, under the influence of compressed air, produces mist which we clean all parts with.

NTools CG 1000 is highly efficient, uses minimal amounts of water and cleaning agents. It is so effective that it is not necessary to use any aggressive agents, harmful to the environment and health. NTools CG 1000 reaches all places hard to reach, gaps, where a regular sponge, cloth, brush or brush will not work.



RADIATORS



WAVE EFFECT

Professional infrared radiators from NTools, designed specifically for use in workshops, ensure high performance of drying single ingredient products and short setting time of two-component products.

	NTools FDS 1000	NTools FDS 2000	NTools FDS 4000
NTools No.	190279	190280	190282
POWER	1 source 1000W	2 sources each 1000W	4 sources each 1000W
DRYING SURFACE	400 x 300 mm	800 x 600 mm	1200 x 1000 mm
POWER CONTROL	none	10 – 100 [%]	10 – 100 [%]

BODY SYSTEMS

TOOLS FOR SPECIAL ACTIONS

Complete bodywork system from NTools allows repairing body parts without the need of replacement. It ensures maintaining proper mechanical properties of the repaired element and reduces the time of repair.



NTools No. 350004

COMPACT SPOTER
NTools SPOT 3000

PDR SYSTEMS

PRECISION RECOMMENDED

Paintless Dent Removal System allows minimizing the cost of car body repairs. There is no need to change, filling or coating the damaged components. After the PDR repair the car remains with the original paint, without changing its thickness and the number of coatings. Repair in PDR system does not reduce value of the car.

Instruments are made of stainless steel with hardness and strength suitable for the purpose. They provide the user with comfort of work and precision of the executed works.

NTools No. 351805

NTools PDR Basic

Set of 6 devices.

Sets of devices for paintless dent removal by the method of pushing out on the convex side of the dent. It includes devices with different thicknesses and shapes endings – rounded, flat, fin-shaped, and bent in a Ushape – selected according to the shape of the dent, allowing work on all parts of the body.

NTools No. 351810

NTools PDR Standard


Set of 16 devices.

NTools No. 351815

NTools PDR Expert


Set of 29 devices.

NTools PDR Standard and NTools PDR Expert sets consist of the PDR Basic set extended with additional precise devices matched to the shape and location of damage.



Increase in the number of tools in the set enables faster and more efficient repair of damages thanks to obtaining an easier access or gain access to a larger area of the car body dents.

The following diagram illustrates places of application of NTools PDR Basic 6 devices for push dents out.



Places of using NTools PDR Basic instruments

- 1 351821 - BTM-70
- 2 351822 - LB-90
- 3 351823 - SWL-25
- 4 351824 - SWR-25
- 5 351825 - HK-LG
- 6 351826 - WT-10-LG
- 7 351827 - BT-60
- 8 351828 - SWR-40
- 9 351829 - SWL-40
- 10 351830 - J-HAK
- 11 351831 - WT-30MD
- 12 351832 - HT-10
- 13 351833 - BLT-30
- 14 351834 - W45-2,5-30
- 15 351835 - W45-7,5-30
- 16 351836 - BT-35
- 17 351837 - LB-60
- 18 351838 - SB-60
- 19 351839 - BT-90
- 20 351840 - SB-90
- 21 351841 - HK-MD
- 22 351842 - PB-60
- 23 351843 - WT-15-SM
- 24 351844 - MT-50
- 25 351845 - BBT-45
- 26 351846 - WR-2,5-30
- 27 351847 - WR-7,5-30
- 28 351848 - LB-35
- 29 351849 - CB-35

Basic

Standard

Expert

NTools No. 351881

SHADING LAMP WITH SUCTION CUP
NTools LC 340

Professional shading lamp is designed to work during paintless dent removal in the PDR system.

The lamp has a 14-part modular joint allowing setting it at any desired angle. Thanks to a special suction cup, it is possible to attach the lamp almost anywhere on the body of the vehicle.

Lamp light is produced by 3 LED strips. They are placed as follows: on the outside a cold light, and in the worm one in the middle. Each strip has a separate switch, which allows you to work with each strip individually.

NTools LC 340 Lamp is powered by a battery allowing 4-hour operation. It is equipped with a power supply that allows charging the battery.



NTools No. 251315

SET OF 12 INSTRUMENTS
FOR REMOVING UPHOLSTERY
NTools URS 12

A set of 12 specialized tools useful when disassembling: upholstery, strips, clips, and staples in motor vehicles. Special profiling of extractors allows quick dismantling of the upholstery elements from interior of each vehicle.

Tools are made of hardened nylon, which affects their hardness, and above all, the strength during the use of leverage by releasing the upholstery clips. The set is dedicated both to works both in the bodywork and painting workshops.



NTools No. 351885

HOT MELT GLUE
NTools GG 80W

Electric gun for hot melt glue in rod cartridges intended for use during paintless dents removal using Glue Puller. Also useful by gluing items in automotive and carpentry workshops or upholstery factories.

RATED VOLTAGE	110-230V AC230V
RATED FREQUENCY	50Hz
POWER CONSUMPTION in idle mode	17W
POWER CONSUMPTION in operation mode	80W
DIAMETER OF GLUE CARTRIDGE	11-12 mm
WEIGHT	0,25 kg
CABLE LENGTH	137 cm
SIZE	190x165x29 mm
CLASS OF PROTECTION	II



Check out the full range of tools at www.ntools.pl



CUSTOMER SERVICE



+48 607 661 832

+48 61 437 00 20

FAX

+48 61 437 00 21



m.pestka@app.com.pl

www.ntools.pl